

Project Details	
Project Code	NMH27Ex Zasiekina
Title	Unraveling Moral Injury in Eating Disorders in Young Adults
Research Theme	Neuroscience & Mental Health
Project Type	Dry lab
Summary	This PhD investigates the role of moral injury in eating disorders (EDs) by examining neurocognitive mechanisms through fMRI, psychometric assessment, and qualitative interviews. It aims to identify distinct brain activation patterns linked to morally injurious experiences and explore how these mechanisms operate in individuals with EDs. The project will generate a moral injury-informed framework to guide future clinical practice. This framework will contribute to a deeper understanding of moral injury as a significant, yet overlooked, risk factor in EDs and support the development of more nuanced, trauma-informed care pathways grounded in patients' moral and psychological experiences.
Description	Eating disorders (EDs) are complex psychiatric conditions with serious physical and mental health consequences. Despite existing evidence-based treatments, many individuals remain treatment-resistant, experiencing only partial recovery or relapse (Byrne et al., 2017; Linardon & Wade, 2018). This highlights the urgent need to explore novel mechanisms that underlie the development and persistence of EDs to improve treatment outcomes. One such underexplored factor is moral injury, defined as psychological distress resulting from the violation of deeply held moral beliefs, and often marked by feelings of guilt, shame, and betrayal (Litz et al., 2009; Farnsworth et al., 2017; Zasiekina et al., 2024). While moral injury has been explored in the context of posttraumatic stress disorder (PTSD), it remains largely absent from ED research. Guilt and shame, key components of moral injury, are well-documented affective drivers of ED symptoms (Bottera et al., 2020; Raffone et al., 2025; Zasiekina et al., 2026). Similarly, betrayal, whether perceived as social stigma or emotional neglect from close others, may contribute to ED onset and maintenance by eroding trust and reinforcing feelings of unworthiness (Rossi et al., 2024). This study targets young adults, as late adolescence and early adulthood represent a critical developmental period marked by psychological vulnerability and major life transitions (Costarelli & Patsai, 2012; Mills et al., 2012; Thompson et al., 2021; Walter et al., 2022). Despite this, young adults are underrepresented in ED research, which has traditionally focused on adolescents. Interest in the “moral brain” has grown across psychiatric fields (Seara-Cardoso, 2023), but this work has yet to be extended to EDs. Neurobiological distinctions between PTSD and moral injury highlight the involvement of brain regions associated with moral reasoning and emotional self-awareness, such as the anterior cingulate cortex (ACC), insula, ventromedial prefrontal cortex (vmPFC), and the default mode network (DMN) (Barnes et al., 2019; Lloyd et al., 2021). While PTSD is characterised by precuneus hyperactivation linked to threat and memory processing, moral injury and potentially EDs are associated with altered ACC–precuneus connectivity, reflecting heightened self-referential and moral-emotional processing (Terpou et al., 2022). The ACC, in particular,

	may play a key role in how unresolved guilt, shame and sense of betrayal contribute to disordered eating behaviors as attempts to regulate internal moral injury. However, the specific neurocognitive ACC pathways linking moral injury and EDs remain unclear. This project aims to address this gap by investigating the role of moral injury in EDs. It seeks to identify the neurocognitive mechanisms underlying this relationship and to develop a novel, trauma-informed, moral injury-based clinical framework. Using a transdiagnostic model (Fairburn et al., 2003), the study will examine ED symptoms rather than focusing on specific diagnostic subtypes, acknowledging the fluidity of ED presentations (Fairburn et al., 2003). Research Questions RQ1: What morally injurious experiences related to food or relationships influence ED symptoms through guilt, shame, and betrayal? RQ2: Do individuals with EDs show an association between functional ACC-precuneus connectivity during moral-emotional processing tasks (vignette-based scenarios eliciting guilt, shame, betrayal), and severity of moral injury symptoms? Methodology Year 1. The study will begin with a qualitative phase, conducting semi-structured interviews with 20 young adults diagnosed with EDs to explore lived experiences of moral injury. Thematic analysis will identify potential moral injurious experience (situations) and inform the development of survey tools and the clinical framework. Year 2/3/4. This will be followed by quantitative and neurocognitive substudies. A total of 40–60 participants with EDs will be assessed using the Eating Disorder Examination Questionnaire (EDE-Q 6.0; Fairburn & Beglin, 1994), applying clinical cut-off scores for adolescents and adults (Velkoff et al., 2023), and the Moral Injury and Distress Scale (MIDS), with clinically significant moral injury defined as MIDS $\geq$ 27 (Norman et al., 2024). Participants will undergo fMRI scanning. During scanning, each participant will undergo both conditions in a counterbalanced order: (1) exposure to emotionally salient moral conflict vignettes (e.g., betrayal by healthcare providers or family members; guilt from overeating) developed from the qualitative phase, and (2) exposure to morally neutral vignettes matched for complexity and length. The primary outcome will be differences in ACC-precuneus functional connectivity between the moral conflict and neutral conditions. We will assess if this neural measure correlates with moral injury symptom severity exploring how moral injury interacts with ED symptoms at the neurocognitive level. Ethical considerations include participants' right to withdraw at any time. All participants will receive mental health resource information, and a psychologist will be available if further support is needed. The student will take full ownership of the project, with support from the supervisory team. They will lead the development of research questions, adapt methodological approaches, and synthesise data. The student will receive comprehensive training in systematic reviews, qualitative and quantitative research methods, co-production, clinical ethics, and neuroimaging analysis. This interdisciplinary training will
--	--

	support the integration of neurocognitive data to advance clinical understanding of moral injury.
Can be completed part time?	No
Supervisory Team	
Lead Supervisor	
Name	Professor Larysa Zasiiekina
Affiliation	Exeter
College/Faculty	The Faculty of Health and Life Sciences
Department/School	Department of Psychology
Email Address	l.zasiekina@exeter.ac.uk
Co-Supervisor 1	
Name	Dr Livia Tomova
Affiliation	Cardiff
College/Faculty	College of Biomedical and Life Sciences
Department/School	School of Psychology
Co-Supervisor 2	
Name	Dr Eldan Turk
Affiliation	Exeter
College/Faculty	Faculty of Health and Life Sciences
Department/School	Department of Psychology
Co-Supervisor 3	
Name	
Affiliation	
College/Faculty	
Department/School	